



**SHOE COVER
MAGIC**

Your Hands-Free Shoe Cover Solution



Product Information Packet

(606) 393-0949
info@shoecovermagic.com
shoecovermagic.com



Large Dispenser



DESCRIPTION

The new SCMLG Large Dispenser is designed for moderate- to high-volume areas where safety, cleanliness, and compliance are critical. Its unique, sturdy design allows workers to put on shoe covers quickly, easily, and safely.

FEATURES

- High volume capacity (up to 110 pairs of shoe covers)
- Hands free operation
- Reduced application time (more than 4x faster)
- Increased worker safety and compliance
- Reduced contamination and errors
- Easy to clean
- Requires no electricity

FAST FACTS

Material

Stainless steel, painted steel, high-impact ABS plastic

Capacity

Two (2) shoe cover refill bundles (up to 110 pairs)

Other

Heavy-duty handle attached directly to frame

PACKAGING

Item #	Weight	l x w x h (in)
SCMLG	50 lbs	32 x 15 x 32

DIMENSIONS



(606) 393-0949
 info@shoecovermagic.com
 shoecovermagic.com



Small Dispenser



DESCRIPTION

The all new SCMSM Small Dispenser is designed for all environments and areas where safety, speed, and compliance are critical. Its unique, sturdy design allows workers to put on shoe covers quickly, easily, and safely.

FEATURES

- Easy to load up to 55 pairs of shoe covers at a time
- Hands free operation
- Reduced application time (more than 4x faster)
- Increased worker safety and compliance
- Reduced contamination and errors
- Easy to clean
- Requires no electricity
- Small size allows for easy temporary installations

FAST FACTS

Material
 Stainless steel
 Painted steel,
 High-impact ABS plastic

Capacity
 One (1) shoe cover refill bundle (up to 55 pairs)

PACKAGING

Item #	Weight	l x w x h (in)
SCMSM	25 lbs	30 x 15 x 11

DIMENSIONS



(606) 393-0949
 info@shoecovermagic.com
 shoecovermagic.com

SCMSM-H

Small Dispenser With Handle



DESCRIPTION

The all new SCMSM Small Dispenser is designed for all environments and areas where safety, speed, and compliance are critical. Its unique, sturdy design allows workers to put on shoe covers quickly, easily, and safely.

This version of our classic Small Dispenser features a retractable locking handle and wheels for easy movement and mobility.

FEATURES

- Easy to load up to 55 pairs of shoe covers at a time
- Hands free operation
- Reduced application time (more than 4x faster)
- Increased worker safety and compliance
- Reduced contamination and errors
- Easy to clean
- Requires no electricity
- Small size allows for easy temporary installations
- Retractable locking handle
- Wheels

FAST FACTS


Material
 Stainless steel
 Painted steel,
 High-impact ABS plastic

Capacity
 One (1) shoe cover refill bundle (up to 55 pairs)

PACKAGING

Item #	Weight	l x w x h (in)
SCMSM-H	25 lbs	30 x 15 x 11

DIMENSIONS



(606) 393-0949
 info@shoecovermagic.com
 shoecovermagic.com



Regular Capacity Shoe Cover Remover (10 gal)

Special Order Only



DESCRIPTION

The remover is the final piece of the puzzle. By choosing a Shoe Cover Magic remover, you are choosing the magical ending to your perfect system.

The Shoe Cover Magic Regular-Capacity Shoe Cover Remover is designed for companies that have a need to eliminate germs and to improve worker safety & productivity. This product automatically removes shoe covers with a hands-free operation and without the need to bend over.

FEATURES

- Regular-capacity: Holds up to 500 used shoe covers
- HEPA filtration to control contaminants (optional)
- Increased worker safety and compliance
- Self-contained disposable bags
- Easy bag changes
- Available in two voltages (110 or 220)
- Receiver/motor unit can be placed up to 300' away from foot plate
- Reduced contamination and errors

FAST FACTS

Material

Remover head: Stainless steel, painted steel, high impact ABS plastic

Motor unit: Powder coated steel

Capacity

Integrated 10 gal receptacle (up to 500 pieces)

Components can be connected using a flexible hose for short connections or hardwall PVC pipe for long-range connections.

PACKAGING

Item #	Weight	l x w x h (in)
SCMRC	80 lbs	48 x 40 x 21



(606) 393-0949
 info@shoecovermagic.com
 shoecovermagic.com

SCMHC33

High-Capacity Shoe Cover Remover (33 gal)

Special Order Only



DESCRIPTION

The remover is the final piece of the puzzle. By choosing a Shoe Cover Magic remover, you are choosing the magical ending to your perfect system. The High-Capacity Shoe Cover Remover (33 gal) is designed for companies that have a need to eliminate germs and to improve worker safety & productivity. This product automatically removes shoe covers with a hands-free operation and without the need to bend over.

FEATURES

- High-capacity: Holds up to 1,500 used shoe covers
- HEPA filtration to control contaminants (optional)
- Increased worker safety and compliance
- Self-contained disposable bags
- Easy bag changes
- Available in two sizes and multiple voltages (110 or 220)
- Receiver/motor unit can be placed up to 300 feet away from foot plate
- Reduced contamination and errors
- Other activation options available, call for details

FAST FACTS

Material

Remover head: Stainless steel, painted steel, high impact ABS plastic

Motor unit: Powder coated steel

High-Capacity receptacle: Powder coated steel

Capacity

33 gallon receptacle (up to 1,500 pieces)

Components can be connected using a flexible hose for short connections or hardwall PVC pipe for long-range connections.

PACKAGING

Item #	Weight	l x w x h (in) wt (lbs)
SCMHC33	120 lbs	48 x 40 x 37

SHOE COVER
MAGIC

(606) 393-0949
info@shoecovermagic.com
shoecovermagic.com

SCMHC55

High-Capacity Shoe Cover Remover (55 gal)

Special Order Only



DESCRIPTION

The remover is the final piece of the puzzle. By choosing a Shoe Cover Magic remover, you are choosing the magical ending to your perfect system. The High-Capacity Shoe Cover Remover (55 gal) is designed for companies that have a need to eliminate germs and to improve worker safety & productivity. This product automatically removes shoe covers with a hands-free operation and without the need to bend over.

FEATURES

- High-capacity: Holds up to 2,500 used shoe covers
- HEPA filtration to control contaminants (optional)
- Increased worker safety and compliance
- Self-contained disposable bags
- Easy bag changes
- Available in two sizes and multiple voltages (110 or 220)
- Receiver/motor unit can be placed up to 300 feet away from foot plate
- Reduced contamination and errors
- Other activation options available, call for details

FAST FACTS

Material

Remover head: Stainless steel, painted steel, high impact ABS plastic

Motor unit: Powder coated steel

High-Capacity receptacle: Powder coated steel

Capacity

55 gallon receptacle (up to 2,500 pieces)

Components can be connected using a flexible hose for short connections or hardwall PVC pipe for long-range connections.

PACKAGING

Item #	Weight	l x w x h (in) wt (lbs)
SCMHC55	190 lbs	48 x 40 x 100



(606) 393-0949
info@shoecovermagic.com
shoecovermagic.com

SCMPE825



DESCRIPTION

This light-duty, waterproof shoe cover is made out of chlorinated polyethylene (CPE). It is a great low-cost solution for light-duty projects. One size fits all with a strong elastic band around the ankle.

FEATURES

- Lightweight
- Waterproof
- Elastic band for a secure fit
- One size fits most (up to a men's size 15)
- Personalized colors are available. Please call for details.

CERTIFICATIONS

Recommended for ISO classification 1 - 9, (per IEST-RP-CC003.3). Tested via Helmke Drum.

FAST FACTS

Material

Chlorinated Polyethylene (CPE)
LDPE / HDPE (30/70)

Seams

Heat sealed

Color

Blue


Other

Waterproof
Anti-Static

PACKAGING

Item #	Pairs	1 x w x h (in)	Weight (lbs)
SCMPE-1	55 bundle	14 x 6.5 x 5	1.3
SCMPE825	825 case	18 x 15 x 25	19

DIMENSIONS



(606) 393-0949
info@shoecovermagic.com
shoecovermagic.com

Degradable
Special Order Only

SCMPE-D



DESCRIPTION

This light-duty, waterproof shoe cover is made of chlorinated polyethylene (CPE). It is a great low-cost solution for light-duty projects. (contains DPE542).

12-month product life at 30 degrees C storage temperature from the manufacturing date. At the end of its product life, the shoe cover is degradable within 12-24 months when disposed of in an environment where oxygen, UV light, and heat are present.

FEATURES

- Lightweight
- Elastic band for a secure fit
- One size fits most (up to a men's size 15)

CERTIFICATIONS

Recommended for ISO classification 1 - 9, (per IEST-RP-CC003.3). Tested via Helmke Drum.

FAST FACTS

Material
Chlorinated Polyethylene (CPE)
LDPE / HDPE (30/70)

Seams
Heat sealed


Color
Green

Other
Anti-Static

PACKAGING

Item #	Pairs	1 x w x h (in)	Weight (lbs)
SCMPE-D-1	55 bundle	14 x 6.5 x 5	1.3
SCMPE-D-825	825 case	18 x 15 x 25	19

DIMENSIONS



(606) 393-0949
info@shoecovermagic.com
shoecovermagic.com

SCMNS28-750



DESCRIPTION

Made from durable polypropylene material with non-skid and non-conductive soles. This shoe cover is skid-resistant which improves traction and friction. One size fits most with a strong elastic band around the ankle.

FEATURES

- Elastic band for secure fit
- Lightweight but durable
- Slip-resistant pattern
- One size fits most (up to a men's size 15)
- Personalized colors are available. Please call for details.

CERTIFICATIONS

Recommended for ISO classification 1 - 9, (per IEST-RP-CC003.3). Tested via Helmke Drum.

FAST FACTS

Material

Spunbond Polypropylene
28 grams/m²

Seams

Heat sealed

Color

Blue


Other

Anti-Static
100% Latex non-skid pattern (1.2 grams/m²)

PACKAGING

Item #	Pairs	l x w x h (in)	Weight (lbs)
SCMNS-28-1	50 bundle	14 x 6.5 x 5	1.6
SCMNS28-750	750 case	18 x 15 x 25	22

DIMENSIONS



(606) 393-0949
info@shoecovermagic.com
shoecovermagic.com

SCMNS28-SF-750



DESCRIPTION

Made from durable polypropylene material with non-skid and non-conductive soles. This shoe cover is skid-resistant which improves traction and friction. One size fits most with a strong elastic band around the ankle. This version has an extra elastic band on the bottom of the shoe cover which allows for a more sure fit for users with smaller boots or shoes.

FEATURES

- Elastic band for secure fit
- Lightweight but durable
- Slip-resistant pattern
- One size fits most (up to a men's size 15)
- Personalized colors are available. Please call for details.

CERTIFICATIONS

Recommended for ISO classification 1 - 9, (per IEST-RP-CC003.3). Tested via Helmke Drum.

FAST FACTS

Material

Spunbond Polypropylene
28 grams/m²

Seams

Heat sealed

Color

Blue


Other

Anti-Static
100% Latex non-skid pattern (1.2 grams/m²)

PACKAGING

Item #	Pairs	l x w x h (in)	Wt (lbs)
SCMNS-28-1	50 bundle	14 x 6.5 x 5	1.6
SCMNS28-SF-750	750 case	19 x 15 x 25	24

DIMENSIONS



(606) 393-0949
info@shoecovermagic.com
shoecovermagic.com

Special Order Only

SCMNS28-750-ESD



DESCRIPTION

Made from durable polypropylene material with non-skid, non-conductive soles, and anti-static carbon strip. This shoe cover is skid-resistant which improves traction and friction. One size fits all with a strong elastic band around the ankle.

FEATURES

- Elastic band for secure fit
- Lightweight but durable
- Slip-resistant pattern
- Electrostatic Dissipation Strip
- One size fits most (up to a men's size 15)
- Personalized colors are available. Please call for details.

CERTIFICATIONS

Met the requirements for the specifications for foot grounders per ANSI/ESD SP9.2 and ESD S20.20. They are considered safe for ESD applications.

FAST FACTS

Material

Spunbond Polypropylene
Carbon Strip
28 grams/m²

Seams

Heat sealed

Color

Blue


Other

Anti-Static
100% Latex non-skid pattern (1.2 grams/m²)

PACKAGING

Item #	Pairs	l x w x h (in)	Weight (lbs)
SCMNS28-1-ESD	50 bundle	14 x 6.5 x 5	1.6
SCMNS28-750-ESD	750 case	18 x 15 x 25	25

DIMENSIONS



(606) 393-0949
info@shoecovermagic.com
shoecovermagic.com

Special Order Only

SCMNS28-750-FAS



DESCRIPTION

Made from durable polypropylene material with non-skid and non-conductive soles. This shoe cover is skid-resistant which improves traction and friction. One size fits all with a strong elastic band around the ankle. This version offers a full-length heel to toe conductive strip on the inside and outside of the shoe cover. This shoe cover is intended to be worn only over ESD shoes.

FEATURES

- Elastic band for secure fit
- Lightweight but durable
- Slip-resistant pattern
- Full-Length Electrostatic Dissipation Strip
- One size fits most (up to a men's size 15)
- Personalized colors are available. Please call for details.

FAST FACTS

Material

Spunbond Polypropylene
Carbon Strip
28 grams/m²

Seams

Heat sealed

Color

Blue


Other

Anti-Static
100% Latex non-skid pattern (1.2 grams/m²)

PACKAGING

Item #	Pairs	l x w x h (in)	Weight (lbs)
SCMNS28-1-FAS	50 bundle	14 x 6.5 x 5	1.6
SCMNS28750-FAS	750 case	18 x 15 x 25	24

DIMENSIONS



(606) 393-0949
info@shoecovermagic.com
shoecovermagic.com

SCMNS40-600



DESCRIPTION

Made from a durable polypropylene, which provides an anti-skid and anti-static cover. Improves traction and friction due to the anti-skid pattern. One size fits most with the strong elastic band around the ankle.

FEATURES

- Lightweight
- Elastic band for a secure fit
- One size fits most (up to a men's size 15)
- Personalized colors are available. Please call for details.

CERTIFICATIONS

Recommended for ISO classification 1 - 9, (per IEST-RP-CC003.3). Tested via Helmke Drum.

FAST FACTS

Material

Spunbond Polypropylene
40 grams/m²

Seams

Heat sealed

Color

Blue


Other

Anti-Static
100% Latex non-skid pattern (1.2 grams/m²)

PACKAGING

Item #	Pairs	l x w x h (in)	Weight (lbs)
SCMNS-40-1	40 bundle	14 x 6.5 x 5	1.6
SCMNS40-600	600 case	19 x 15 x 26	24

DIMENSIONS



(606) 393-0949
info@shoecovermagic.com
shoecovermagic.com

SCMNS40-SF-600



DESCRIPTION

Made from durable polypropylene material with non-skid and non-conductive soles. This shoe cover is skid-resistant which improves traction and friction. One size fits most with a strong elastic band around the ankle. This shoe cover has an extra elastic band on the bottom which allows for a more sure fit for smaller boots or shoes.

FEATURES

- Elastic band for secure fit
- Lightweight but durable
- Slip-resistant pattern
- One size fits most (up to a men's size 15)
- Personalized colors are available. Please call for details.

CERTIFICATIONS

Recommended for ISO classification 1 - 9, (per IEST-RP-CC003.3). Tested via Helmke Drum.

FAST FACTS

Material

Spunbond Polypropylene
40 grams/m²

Seams

Heat sealed

Color

Blue


Other

Anti-Static
100% Latex non-skid pattern (1.2 grams/m²)

PACKAGING

Item #	Pairs	l x w x h (in)	Weight (lbs)
SCMNS-40-1	40 bundle	14 x 6.5 x 5	1.6
SCMNS40-600	600 case	21 x 15 x 26	24

DIMENSIONS



(606) 393-0949
info@shoecovermagic.com
shoecovermagic.com

Special Order Only

SCMNS40-600-ESD



DESCRIPTION

Made from durable polypropylene material with non-skid, non-conductive soles, and anti-static carbon strip. This shoe cover is skid-resistant which improves traction and friction. One size fits all with a strong elastic band around the ankle.

FEATURES

- Elastic band for secure fit
- Lightweight but durable
- Slip-resistant pattern
- Electrostatic Dissipation Strip
- One size fits most (up to a men's size 15)
- Personalized colors are available. Please call for details.

CERTIFICATIONS

Met the requirements for the specifications for foot grounders per ANSI/ESD SP9.2 and ESD S20.20. They are considered safe for ESD applications.

FAST FACTS

Material

Spunbond Polypropylene
Carbon Strip
40 grams/m²

Seams

Heat sealed

Color

Blue


Other

Anti-Static
100% Latex non-skid pattern (1.2 grams/m²)

PACKAGING

Item #	Pairs	l x w x h (in)	Weight (lbs)
SCMNS40-1-ESD	40 bundle	14 x 6.5 x 5	1.6
SCMNS40-600-ESD	600 case	19 x 15 x 25	25

DIMENSIONS



(606) 393-0949
info@shoecovermagic.com
shoecovermagic.com

Special Order Only

SCMNS40-600-FAS



DESCRIPTION

Made from durable polypropylene material with non-skid and non-conductive soles. This shoe cover is skid-resistant which improves traction and friction. One size fits all with a strong elastic band around the ankle. This shoe cover offers a full-length heel to toe conductive strip on the inside and outside of the shoe cover. This shoe cover is intended to be worn only over ESD shoes.

FEATURES

- Elastic band for secure fit
- Lightweight but durable
- Slip-resistant pattern
- Full-Length Electrostatic Dissipation Strip
- One size fits most (up to a men's size 15)
- Personalized colors are available. Please call for details.

FAST FACTS

Material

Spunbond Polypropylene
Carbon Strip
40 grams/m²

Seams

Heat sealed

Color

Blue


Other

Anti-Static
100% Latex non-skid pattern (1.2 grams/m²)

PACKAGING

Item #	Pairs	l x w x h (in)	Weight(lbs)
SCMNS40-1-FAS	40 bundle	14 x 6.5 x 5	1.5
SCMNS40-600-FAS	600 case	19 x 15 x 25	25

DIMENSIONS



(606) 393-0949
info@shoecovermagic.com
shoecovermagic.com

SCMNS40-Y-600



DESCRIPTION

Made from durable polypropylene material with non-skid and non-conductive soles. This shoe cover is skid-resistant which improves traction and friction. One size fits most with a strong elastic band around the ankle.

FEATURES

- Lightweight
- Elastic band for a secure fit
- One size fits most (up to a men's size 15)
- Personalized colors are available. Please call for details.

CERTIFICATIONS

Recommended for ISO classification 1 - 9, (per IEST-RP-CC003.3). Tested via Helmke Drum.

FAST FACTS

Material

Spunbond Polypropylene
40 grams/m²

Seams

Heat sealed

Color

Yellow


Other

Anti-Static
100% Latex non-skid pattern (1.2 grams/m²)

PACKAGING

Item #	Pairs	l x w x h (in)	Wt (lbs)
SCMNS-40-1	40 bundle	14 x 6.5 x 5	1.6
SCMNS40-600	600 case	19 x 15 x 25	24

DIMENSIONS



(606) 393-0949
info@shoecovermagic.com
shoecovermagic.com

SCMSB600



DESCRIPTION

Our SuperBootie is made from durable polypropylene material with non-skid and non-conductive soles. This shoe cover is super skid-resistant which greatly improves traction and friction. This shoe cover is completely waterproof and extra-durable, used widely across many industries. One size fits most with a strong elastic band around the ankle.

FEATURES

- Super anti-skid
- Completely waterproof
- Durable for extra-long wear time
- One size fits most (up to a men's size 15) with smaller dimensions to promote traction
- Personalized colors are available. Please call for details.

CERTIFICATIONS

Recommended for ISO classification 1 - 9, (per IEST-RP-CC003.3). Tested via Helmke Drum.

FAST FACTS

Material

Base: Spunbond Polypropylene
Coating: Polyethylene (100% LDPE)

Seams

Heat sealed

Color

White


Other

Super non-skid
Anti-static
Waterproof

PACKAGING

Item #	Pairs	l x w x h (in)	Weight (lbs)
SCMSB-1	40 bundle	14 x 6.5 x 5	2
SCMSB600	600 case	21 x 15 x 26	30

DIMENSIONS



(606) 393-0949
info@shoecovermagic.com
shoecovermagic.com

SCMSB-SF-600



DESCRIPTION

Our SuperBootie is made from durable polypropylene material with non-skid and non-conductive soles. This shoe cover is super skid-resistant which greatly improves traction and friction. One size fits most with a strong elastic band around the ankle. This shoe cover has an extra elastic band on the bottom which allows for a more sure fit for smaller boots or shoes.

FEATURES

- Super anti-skid
- Durable for extra-long wear time
- One size fits most (up to a men's size 15) with smaller dimensions to promote traction
- Personalized colors are available. Please call for details.

CERTIFICATIONS

Recommended for ISO classification 1 - 9, (per IEST-RP-CC003.3). Tested via Helmke Drum.

FAST FACTS

Material

Base: Spunbond Polypropylene
Coating: Polyethylene (100% LDPE)

Seams

Heat sealed

Color

White


Other

Super non-skid
Anti-static

PACKAGING

Item #	Pairs	l x w x h (in)	Weight (lbs)
SCMSBSF-1	40 bundle	14 x 6.5 x 5	2
SCMSBSF-600	600 case	20 x 15 x 26	35

DIMENSIONS



(606) 393-0949
info@shoecovermagic.com
shoecovermagic.com

Special Order Only

SCMSB600-ESD



DESCRIPTION

Our SuperBootie is made from durable polypropylene material with non-skid and non-conductive soles. This shoe cover is super skid-resistant which improves traction and friction. One size fits most with a strong elastic band around the ankle.

FEATURES

- Lightweight but durable
- Slip-resistant pattern
- Elastic band for a secure fit
- Electronic dissipation strip
- One size fits most (up to a men's size 15)
- Personalized colors are available. Please call for details.

CERTIFICATIONS

Met the requirements for the specifications for foot grounders per ANSI/ESD SP9.2 and ESD S20.20. They are considered safe for ESD applications.

FAST FACTS

Material

Base: Spunbond Polypropylene
Coating: Polyethylene (100% LDPE)
Carbon strip

Seams

Heat sealed

Color

White


Other

Super non-skid
Anti-static

PACKAGING

Item #	Pairs	l x w x h (in)	Wt (lbs)
SCMSB-1-ESD	40 bundle	14 x 6.5 x 5	2
SCMSB600-ESD	600 case	21 x 15 x 26	31

DIMENSIONS



(606) 393-0949
info@shoecovermagic.com
shoecovermagic.com

Special Order Only

SCMSB600-FAS



DESCRIPTION

Our SuperBootie is made from durable polypropylene material with non-skid and non-conductive soles. This shoe cover is super skid-resistant which improves traction and friction. One size fits most with a strong elastic band around the ankle. This cover is intended to be worn only over ESD shoes.

FEATURES

- Lightweight but durable
- Slip-resistant pattern
- Elastic band for a secure fit
- Full-length electronic dissipation strip
- One size fits most
- Personalized colors available with certain requirements

FAST FACTS

Material

Base: Spunbond Polypropylene
 Coating: Polyethylene (100% LDPE)
 Carbon strip

Seams

Heat sealed

Color

White


Other

Super non-skid
 Anti-static

PACKAGING

Item #	Pairs	l x w x h (in)	Wt (lbs)
SCMSB-1-FAS	40 bundle	14 x 6.5 x 5	2
SCMSB600-FAS	600 case	21 x 15 x 26	31

DIMENSIONS



(606) 393-0949
 info@shoecovermagic.com
 shoecovermagic.com

SCMCP525



DESCRIPTION

Made from a durable polypropylene base layer, coated with a layer of chlorinated polyethylene. This durable waterproof shoe cover is perfect for users with large work boots.

FEATURES

- Waterproof CPE coating on bottom
- Extra-deep to accommodate larger shoes & workboots
- Elastic band for secure fit
- Lightweight but durable
- One size fits most (up to a men's size 15)

CERTIFICATIONS

Recommended for ISO classification 1 - 9, (per IEST-RP-CC003.3). Tested via Helmke Drum.

FAST FACTS

Material

Base: Spunbond Polypropylene
Bottom: CPE

Seams

Heat sealed

Color

White with blue coating


Other

Anti-Static
Non-Skid

PACKAGING

Item #	Pairs	l x w x h (in)	Wt (lbs)
SCMCP-1	35 bundle	14 x 6.5 x 5	2
SCMCP525	525 case	20 x 15 x 27	32

DIMENSIONS



(606) 393-0949
info@shoecovermagic.com
shoecovermagic.com